



**GREENchoice™**  
ADHESIVES

Better for you.  
Better for the environment.  
Better for building.  
**BETTER. PERIOD.**

## LEED Specification Sheet for New Construction and Major Renovation

November 1, 2013

To Whom It May Concern:

This letter has been sent to verify the VOC content of Titebond® GREENchoice™ WeatherMaster™ ULTIMATE MP Sealant. The current VOC content of this product is 9g/L for white & colors and 28g/L for translucent. Accordingly, the VOC content of Titebond GREENchoice WeatherMaster ULTIMATE MP Sealant is less than the current VOC content limits of California's South Coast Air Quality Management District (SCAQMD) Rule #1168.

Titebond GREENchoice WeatherMaster ULTIMATE MP Sealant is eligible for the U.S. Green Building Council's LEED 2009 Green Building Rating System for New Construction & Major Renovations EQ credit 4.1. This statement is based on the Titebond product referenced above and the formulation of the product and the regulations in place according to the date of this letter.

For the use of this product, you could be contributing up to one point under the Indoor Environmental Quality v3 Rating System.

Please use this letter for specification purposes or call 1-888-533-9043 with any further questions.

For a copy of the MSDS or TDS, please visit [www.Titebond.com](http://www.Titebond.com).